

Ex. 25



ADMISSION HISTORY AND PHYSICAL EXAMINATION-PAGE 6

GENITALIA:

PELVIC:

RECTAL:

EXTREMITIES (including Pulses):

(R) 0.5 cm puncture wound approx 1/2" dist lateral arm and another 0.5 cm puncture wound at approx medial aspect of arm

SKIN:

0.5 cm puncture wound lat. lower 1/2 of forearm and another middle 1/2 of forearm

NEUROLOGICAL:

(R) hand has 0.5 cm laceration on dorsum of hand with carbon particles, another 1.05 cm laceration on wrist, antecubital. Pulses are normal on both upper limbs

SPECIAL EXAMINATIONS:

Neuro: Conscious, no gross motor or sensory loss

Face

LABORATORY RESULTS:

(1) 0.5 cm puncture wound at mid mandibular area
 (2) 0.5 cm wound at (R) zygomatic area

CHEST X-RAY:

(2) 0.5 cm wound mid mandibular area on (L)

ELECTROCARDIOGRAM:

OTHER:

293

63

U-47

* fracture wound of the middle 1/3 of the medial aspect of the forearm.

* A 0.5cm puncture wound lateral lower 1/3 of the forearm and another middle 1/3 of the forearm. Left hand has a 0.5cm wound on the dorsum of the hand with carbon particles surrounding the wound. A second 0.5cm wound on the wrist anteriorly.

Pulses are palpated in all limbs

Neurologic Exam - Patient is conscious but agitated. No gross motor or sensory neurologic deficit noted.

Multiple GSW Fractured mandible with severe soft tissue swelling Fractured wrist bone.

Plan Admit Trauma to service A&C CBC smtb PT PTT. Type & hold xray skull neck and the chest. and Derry @ arm and forearm xray left hand. Assisted ventilation via NG tube N/G tube to low suction 303 Foley to gravity drainage GSW + 1h N/S.

U-48

71