

KINETIC TREATMENT TABLE

ROTO REST® ends the manual turn. Helps fight the complications of immobility.



KINETIC CONCEPTS 1-800-531-5346
In Texas call collect (512) 225-4092

TRAUMA SCORE

Endorsed by the American Trauma Society, Trauma Score is a numerical grading system for estimating the severity of injury, and thereby the projected estimate of survival. It combines the score of the Glasgow Coma Scale (reduced to approximately one third its total value) and measurements of circulatory function.

GLASGOW COMA SCALE

Find a subtotal for GCS. Use this subtotal to obtain a corresponding trauma score. Add this value to the trauma scores of the four other categories.

TRAUMA SCORE


EYES	Open	Spontaneously	<u>4</u>
		To verbal command	<u>3</u>
		To pain	<u>2</u>
		No response	<u>1</u>
BEST MOTOR RESPONSE	To verbal command	Obeys	<u>6</u>
	To painful stimulus	Localizes pain	<u>5</u>
		Flexion-withdrawal	<u>4</u>
		Flexion-abnormal	<u>3</u>
		Extension	<u>2</u>
	No response	<u>1</u>	
BEST VERBAL RESPONSE	Oriented and converses	<u>5</u>	
	Disoriented and converses	<u>4</u>	
	Inappropriate words	<u>3</u>	
	Incomprehensible sounds	<u>2</u>	
	No response	<u>1</u>	

GCS Subtotal 3-15

Apply this score to the Glasgow Coma Scale portion of the Trauma Score on the reverse side of this card.

Continue Notes on Other Side

NEW YORK CITY HEALTH AND HOSPITALS CORPORATION



413

15

BEGIN ON OTHER SIDE

TRAUMA SCORE

GLASGOW 14-15 5

COMA 11-13 4

SCALE 8-10 3

Find a subtotal for GCS. Use this 5-7 2

subtotal to determine the overall 3-4 1

ing trauma score. Add this value 10-24 4

to the trauma scores of the four 25-35 3

side categories. >35 2

RESPIRATORY 1-9 1

RATE 0 0

>35 2

1-9 1

0 0

RESPIRATORY Normal 1

EXPANSION Shallow 0

Retractive 0

>90 4

SYSTOLIC 70-89 3

BLOOD 50-69 2

PRESSURE 1-49 1

0 0

CAPILLARY Normal 2

REFILL Delayed 1

None 0

Total Trauma Score 1-16

Projected Estimate of Survival

Projected estimate of survival for each value of the Trauma Score is based on results from 1,509 patients with blunt or penetrating injury.

Trauma Score	Percentage Survival	Trauma Score	Percentage Survival
16	100	8	26
15	98	7	15
14	96	6	9
13	85	5	4
12	67	4	2
11	75	3	1
10	60	2	0
9	47	1	0

15
Sajid Paracha
AG 4-6

HISTORY

DIVISION

U-13



NEW YORK CITY HEALTH & HOSPITALS CORPORATION
 HARLEM HOSPITAL CENTER
 506 Lenox Avenue
 New York, N.Y. 10037

117-25
 7-17-90

Unlabeled Female #1
 MELENDEZ JOSEPHINA
 117 25 00

ADMISSION HISTORY AND PHYSICAL EXAMINATION

SERVICE TRAUMA ATTENDING MD Guikiani RESIDENT MD Navitols
 DATE & TIME 7/17/90 INFORMANT _____
 CHIEF COMPLAINT _____

* Patient sustained GSW to face, chest and upper extremities

HISTORY OF PRESENT ILLNESS:

37 yr. old hispanic female came to the ER by EMS with the history of sustained multiple GSW's to the face, chest and upper extremities. Patient was reportedly hypotensive at the scene and arrived with MAST pants on. The patient was hemodynamically stable on arrival and was bleeding from facial injury which was controlled with pressure. She was subsequently intubated to secure the airways. After stabilize with fluids and vital signs the MAST pants were deflated. Patient is conscious but agitated.

61

U/6