

Ex. 46



ADMISSION HISTORY AND PHYSICAL EXAMINATION-PAGE 6

GENITALIA:

PELVIC:

RECTAL:

EXTREMITIES (including Pulses):

(Rt) 0.5 cm puncture wound on 1/3 of lateral arm and another 0.5 cm puncture wound at 1/3 of medial aspect of arm

SKIN:

0.5 cm puncture wound lat. lower 1/3 of forearm and another middle 1/3 of forearm

NEUROLOGICAL:

(1) hand has 0.5 cm GSW on dorsum of hand with carbon particles, another 0.5 cm GSW on wrist anterior

Pulses are normal on both upper limbs

Neuro: Conscious

no gross motor or sensory loss

SPECIAL EXAMINATIONS:

Face

LABORATORY RESULTS:

(1) 0.5 cm puncture wound at pt mid mandibular area

(2) 0.5 cm wound at (Rt) 2/3 gammaic area

CHEST X-RAY:

(2) 0.5 cm wound mid mandibular areas on (L)

ELECTROCARDIOGRAM:

OTHER:

* puncture wound at the middle
1/3 of the medial aspect of
the forearm arm.

* @ A 0.5 cm puncture wound lateral
lower 1/3 of the forearm and
* another middle 1/3 of the forearm.
Left hand has a 0.5 cm wound on
the dorsum of the hand with
carbon particles surrounding the
wound. A second 0.5 cm wound
on the wrist anteriorly.
Pulses are palpated on all limbs

Neurologic Exam - Patient is conscious but
agitated, he is alert
- No gross motor or sensory
neurologic defect noted.

Multiple GSW, fractured mandible
with severe soft tissue swelling
fractured wrist bone.

Plan

Admit Trauma to service AICU
CBC smAB PT PTT. Type + hold
xray skull neck and the
chest. and ~~Deeray~~ @ arm and
forearm xray left hand.
Assisted ventilation via nasotracheal
N/A tube to low suction 303
Foley to gravity drainage
GWS + 1hr N/S.